

PHP Version 5.3.8



<b>System</b>	Windows NT HOME_PC1 6.1 build 7601 (Windows 7 Business Edition Service Pack 1) i586
<b>Build Date</b>	Aug 23 2011 11:47:20
<b>Compiler</b>	MSVC9 (Visual C++ 2008)
<b>Architecture</b>	x86
<b>Configure Command</b>	cscript /nologo configure.js "--enable-snapshot-build" "--disable-isapi" "--enable-debug-pack" "--disable-isapi" "--without-mssql" "--without-pdo-mssql" "--without-pi3web" "--with-pdo-oci=D:\php-sdk\oracle\instantclient10\sdk,shared" "--with-oci8=D:\php-sdk\oracle\instantclient10\sdk,shared" "--with-oci8-11g=D:\php-sdk\oracle\instantclient11\sdk,shared" "--enable-object-out-dir=../obj/" "--enable-com-dotnet" "--with-mcrypt=static" "--disable-static-analyze"
<b>Server API</b>	Apache 2.0 Handler
<b>Virtual Directory Support</b>	enabled
<b>Configuration File (php.ini) Path</b>	C:\Windows
<b>Loaded Configuration File</b>	D:\xampp\php\php.ini
<b>Scan this dir for additional .ini files</b>	(none)
<b>Additional .ini files parsed</b>	(none)
<b>PHP API</b>	20090626
<b>PHP Extension</b>	20090626
<b>Zend Extension</b>	220090626
<b>Zend Extension Build</b>	API220090626,TS,VC9
<b>PHP Extension Build</b>	API20090626,TS,VC9
<b>Debug Build</b>	no
<b>Thread Safety</b>	enabled
<b>Zend Memory Manager</b>	enabled
<b>Zend Multibyte Support</b>	disabled
<b>IPv6 Support</b>	enabled
<b>Registered PHP Streams</b>	php, file, glob, data, http, ftp, zip, compress.zlib, compress.bzip2, phar
<b>Registered Stream Socket Transports</b>	tcp, udp
<b>Registered Stream Filters</b>	convert.iconv.*, mcrypt.*, mdecrypt.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, zlib.*, bzip2.*

This program makes use of the Zend Scripting Language Engine:  
 Zend Engine v2.3.0, Copyright (c) 1998-2011 Zend Technologies



## PHP Credits

# Configuration

## apache2handler

<b>Apache Version</b>	Apache/2.2.21 (Win32) mod_ssl/2.2.21 OpenSSL/1.0.0e PHP/5.3.8 mod_perl/2.0.4 Perl/v5.10.1
<b>Apache API Version</b>	20051115
<b>Server Administrator</b>	postmaster@localhost
<b>Hostname:Port</b>	localhost:80
<b>Max Requests</b>	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
<b>Timeouts</b>	Connection: 300 - Keep-Alive: 5
<b>Virtual Server</b>	No
<b>Server Root</b>	D:/xampp/apache
<b>Loaded Modules</b>	core mod_win32 mpm_winnt http_core mod_so mod_actions mod_alias mod_asis mod_auth_basic mod_auth_digest mod_authn_default mod_authn_file mod_authz_default mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_dav_lock mod_dir mod_env mod_headers mod_include mod_info mod_isapi mod_log_config mod_mime mod_negotiation mod_proxy mod_proxy_ajp mod_rewrite mod_setenvif mod_ssl mod_status mod_php5 mod_perl

Directive	Local Value	Master Value
<b>engine</b>	1	1
<b>last_modified</b>	0	0
<b>xbithack</b>	0	0

## Apache Environment

Variable	Value
<b>MIBDIRS</b>	D:/xampp/php/extras/mibs
<b>MYSQL_HOME</b>	\xampp\mysql\bin
<b>OPENSSL_CONF</b>	D:/xampp/apache/bin/openssl.cnf
<b>PHP_PEAR_SYSCONF_DIR</b>	\xampp\php
<b>PHPRC</b>	\xampp\php
<b>TMP</b>	\xampp\tmp
<b>HTTP_ACCEPT</b>	text/html, application/xhtml+xml, */*
<b>HTTP_ACCEPT_LANGUAGE</b>	de-DE
<b>HTTP_USER_AGENT</b>	Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)
<b>HTTP_ACCEPT_ENCODING</b>	gzip, deflate
<b>HTTP_HOST</b>	localhost
<b>HTTP_CONNECTION</b>	Keep-Alive
<b>HTTP_COOKIE</b>	PHPSESSID=el0c7jrk3veda87dvlmibsb566
<b>PATH</b>	C:\Program Files\Software\Editor\KomodoEdit\;C:\Program Files\Common Files\Microsoft Shared\Windows Live;C:\Program Files\PC Connectivity Solution\;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Program Files\Autodesk\Backburner\;C:\Program Files\Common Files\Autodesk Shared\;C:\Program Files\Microsoft SQL Server\100\Tools\Binn\;C:\Program Files\Microsoft SQL Server\100\DTS\Binn\;C:\Program Files\Windows Live\Shared\;C:\Program Files\Software\Tools\IsoBuster\;C:\program files\software\multimedia\Quicktime\QTSystem\;
<b>SystemRoot</b>	C:\Windows
<b>COMSPEC</b>	C:\Windows\system32\cmd.exe
<b>PATHEXT</b>	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
<b>WINDIR</b>	C:\Windows
<b>SERVER_SIGNATURE</b>	<address>Apache/2.2.21 (Win32) mod_ssl/2.2.21 OpenSSL/1.0.0e PHP/5.3.8 mod_perl/2.0.4 Perl/v5.10.1 Server at localhost Port 80</address>
<b>SERVER_SOFTWARE</b>	

	Apache/2.2.21 (Win32) mod_ssl/2.2.21 OpenSSL/1.0.0e PHP/5.3.8 mod_perl/2.0.4 Perl/v5.10.1
<b>SERVER_NAME</b>	localhost
<b>SERVER_ADDR</b>	::1
<b>SERVER_PORT</b>	80
<b>REMOTE_ADDR</b>	::1
<b>DOCUMENT_ROOT</b>	D:/xampp/htdocs
<b>SERVER_ADMIN</b>	postmaster@localhost
<b>SCRIPT_FILENAME</b>	D:/xampp/htdocs/PHP_Info.php
<b>REMOTE_PORT</b>	53038
<b>GATEWAY_INTERFACE</b>	CGI/1.1
<b>SERVER_PROTOCOL</b>	HTTP/1.1
<b>REQUEST_METHOD</b>	GET
<b>QUERY_STRING</b>	<i>no value</i>
<b>REQUEST_URI</b>	/PHP_Info.php
<b>SCRIPT_NAME</b>	/PHP_Info.php

## HTTP Headers Information

HTTP Request Headers	
<b>HTTP Request</b>	GET /PHP_Info.php HTTP/1.1
<b>Accept</b>	text/html, application/xhtml+xml, */*
<b>Accept-Language</b>	de-DE
<b>User-Agent</b>	Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)
<b>Accept-Encoding</b>	gzip, deflate
<b>Host</b>	localhost
<b>Connection</b>	Keep-Alive
<b>Cookie</b>	PHPSESSID=el0c7jrk3veda87dvlmibsb566
HTTP Response Headers	
<b>X-Powered-By</b>	PHP/5.3.8
<b>Keep-Alive</b>	timeout=5, max=100
<b>Connection</b>	Keep-Alive
<b>Transfer-Encoding</b>	chunked
<b>Content-Type</b>	text/html

## bcmath

<b>BCMath support</b>	enabled
-----------------------	---------

Directive	Local Value	Master Value
<b>bcmath.scale</b>	0	0

## bz2

<b>BZip2 Support</b>	Enabled
<b>Stream Wrapper support</b>	compress.bzip2://
<b>Stream Filter support</b>	bzip2.decompress, bzip2.compress
<b>BZip2 Version</b>	1.0.6, 6-Sept-2010

## calendar

<b>Calendar support</b>	enabled
-------------------------	---------

**com\_dotnet**

COM support	enabled
DCOM support	disabled
.Net support	enabled

Directive	Local Value	Master Value
<b>com.allow_dcom</b>	0	0
<b>com.autoregister_casesensitive</b>	1	1
<b>com.autoregister_typelib</b>	0	0
<b>com.autoregister_verbose</b>	0	0
<b>com.code_page</b>	<i>no value</i>	<i>no value</i>
<b>com.typelib_file</b>	<i>no value</i>	<i>no value</i>

**Core**

PHP Version	5.3.8
-------------	-------

Directive	Local Value	Master Value
<b>allow_call_time_pass_reference</b>	Off	Off
<b>allow_url_fopen</b>	On	On
<b>allow_url_include</b>	Off	Off
<b>always_populate_raw_post_data</b>	Off	Off
<b>arg_separator.input</b>	&	&
<b>arg_separator.output</b>	&	&
<b>asp_tags</b>	Off	Off
<b>auto_append_file</b>	<i>no value</i>	<i>no value</i>
<b>auto_globals_jit</b>	On	On
<b>auto_prepend_file</b>	<i>no value</i>	<i>no value</i>
<b>browscap</b>	D:\xampp\php\extras\browscap.ini	D:\xampp\php\extras\browscap.ini
<b>default_charset</b>	<i>no value</i>	<i>no value</i>
<b>default_mimetype</b>	text/html	text/html
<b>define_syslog_variables</b>	Off	Off
<b>disable_classes</b>	<i>no value</i>	<i>no value</i>
<b>disable_functions</b>	<i>no value</i>	<i>no value</i>
<b>display_errors</b>	On	On
<b>display_startup_errors</b>	On	On
<b>doc_root</b>	<i>no value</i>	<i>no value</i>
<b>docref_ext</b>	<i>no value</i>	<i>no value</i>
<b>docref_root</b>	<i>no value</i>	<i>no value</i>
<b>enable_dl</b>	On	On
<b>error_append_string</b>	<i>no value</i>	<i>no value</i>
<b>error_log</b>	D:\xampp\php\logs\php_error_log	D:\xampp\php\logs\php_error_log
<b>error_prepend_string</b>	<i>no value</i>	<i>no value</i>
<b>error_reporting</b>	32767	32767
<b>exit_on_timeout</b>	Off	Off
<b>expose_php</b>	On	On
<b>extension_dir</b>	D:\xampp\php\ext	D:\xampp\php\ext
<b>file_uploads</b>	On	On
<b>highlight.bg</b>	#FFFFFF	#FFFFFF
<b>highlight.comment</b>	#FF8000	#FF8000
<b>highlight.default</b>	#0000BB	#0000BB

highlight.html	#000000	#000000
highlight.keyword	#007700	#007700
highlight.string	#DD0000	#DD0000
html_errors	On	On
ignore_repeated_errors	Off	Off
ignore_repeated_source	Off	Off
ignore_user_abort	Off	Off
implicit_flush	Off	Off
include_path	.;D:\xampp\php\PEAR	.;D:\xampp\php\PEAR
log_errors	On	On
log_errors_max_len	1024	1024
magic_quotes_gpc	Off	Off
magic_quotes_runtime	Off	Off
magic_quotes_sybase	Off	Off
mail.add_x_header	Off	Off
mail.force_extra_parameters	<i>no value</i>	<i>no value</i>
mail.log	<i>no value</i>	<i>no value</i>
max_execution_time	30	30
max_file_uploads	20	20
max_input_nesting_level	64	64
max_input_time	60	60
memory_limit	128M	128M
open_basedir	<i>no value</i>	<i>no value</i>
output_buffering	4096	4096
output_handler	<i>no value</i>	<i>no value</i>
post_max_size	8M	8M
precision	14	14
realpath_cache_size	16K	16K
realpath_cache_ttl	120	120
register_argc_argv	Off	Off
register_globals	On	On
register_long_arrays	Off	Off
report_memleaks	On	On
report zend_debug	On	On
request_order	GP	GP
safe_mode	Off	Off
safe_mode_exec_dir	<i>no value</i>	<i>no value</i>
safe_mode_gid	Off	Off
safe_mode_include_dir	<i>no value</i>	<i>no value</i>
sendmail_from	<i>no value</i>	<i>no value</i>
sendmail_path	<i>no value</i>	<i>no value</i>
serialize_precision	100	100
short_open_tag	On	On
SMTP	localhost	localhost
smtp_port	25	25
sql.safe_mode	Off	Off
track_errors	On	On
unserialize_callback_func	<i>no value</i>	<i>no value</i>
upload_max_filesize	128M	128M
upload_tmp_dir	D:\xampp\tmp	D:\xampp\tmp
user_dir	<i>no value</i>	<i>no value</i>
user_ini.cache_ttl	300	300
user_ini.filename	.user.ini	.user.ini
variables_order	GPCS	GPCS
xmlrpc_error_number	0	0

xmlrpc_errors	Off	Off
y2k_compliance	On	On
zend.enable_gc	On	On

## ctype

ctype functions	enabled
-----------------	---------

## date

date/time support	enabled
"Olson" Timezone Database Version	2011.8
Timezone Database	internal
Default timezone	Europe/Berlin

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	Europe/Berlin	Europe/Berlin

## dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.7.7
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

## ereg

Regex Library	Bundled library enabled
---------------	-------------------------

## exif

EXIF Support	enabled
EXIF Version	1.4 \$Id: exif.c 314376 2011-08-06 14:47:44Z felipe \$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

**filter**

<b>Input Validation and Filtering</b>	enabled
<b>Revision</b>	\$Revision: 313665 \$

Directive	Local Value	Master Value
<b>filter.default</b>	unsafe_raw	unsafe_raw
<b>filter.default_flags</b>	<i>no value</i>	<i>no value</i>

**ftp**

<b>FTP support</b>	enabled
--------------------	---------

**gd**

<b>GD Support</b>	enabled
<b>GD Version</b>	bundled (2.0.34 compatible)
<b>FreeType Support</b>	enabled
<b>FreeType Linkage</b>	with freetype
<b>FreeType Version</b>	2.4.3
<b>GIF Read Support</b>	enabled
<b>GIF Create Support</b>	enabled
<b>JPEG Support</b>	enabled
<b>libJPEG Version</b>	6b
<b>PNG Support</b>	enabled
<b>libPNG Version</b>	1.2.46
<b>WBMP Support</b>	enabled
<b>XBM Support</b>	enabled

Directive	Local Value	Master Value
<b>gd.jpeg_ignore_warning</b>	0	0

**gettext**

<b>GetText Support</b>	enabled
------------------------	---------

**hash**

<b>hash support</b>	enabled
<b>Hashing Engines</b>	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snfru256 gost adler32 crc32 crc32b salsa10 salsa20 haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

**iconv**

<b>iconv support</b>	enabled
<b>iconv implementation</b>	"libiconv"
<b>iconv library version</b>	1.11

Directive	Local Value	Master Value
<b>iconv.input_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.internal_encoding</b>	ISO-8859-1	ISO-8859-1
<b>iconv.output_encoding</b>	ISO-8859-1	ISO-8859-1

## imap

<b>IMAP c-Client Version</b>	2007e
<b>SSL Support</b>	enabled

## json

<b>json support</b>	enabled
<b>json version</b>	1.2.1

## libxml

<b>libXML support</b>	active
<b>libXML Compiled Version</b>	2.7.7
<b>libXML Loaded Version</b>	20707
<b>libXML streams</b>	enabled

## mbstring

<b>Multibyte Support</b>	enabled
<b>Multibyte string engine</b>	libmbfl
<b>HTTP input encoding translation</b>	disabled

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

<b>Multibyte (japanese) regex support</b>	enabled
<b>Multibyte regex (oniguruma) version</b>	4.7.1

Directive	Local Value	Master Value
<b>mbstring.detect_order</b>	<i>no value</i>	<i>no value</i>
<b>mbstring.encoding_translation</b>	Off	Off
<b>mbstring.func_overload</b>	0	0
<b>mbstring.http_input</b>	pass	pass
<b>mbstring.http_output</b>	pass	pass
<b>mbstring.http_output_conv_mimetypes</b>	^(text/application/xhtml\+xml)	^(text/application/xhtml\+xml)
<b>mbstring.internal_encoding</b>	<i>no value</i>	<i>no value</i>
<b>mbstring.language</b>	neutral	neutral
<b>mbstring.strict_detection</b>	Off	Off
<b>mbstring.substitute_character</b>	<i>no value</i>	<i>no value</i>

## mcrypt

<b>mcrypt support</b>	enabled
	enabled



mcrypt_filter support	
<b>Version</b>	2.5.8
<b>Api No</b>	20021217
<b>Supported ciphers</b>	cast-128 gost rijndael-128 twofish cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes arcfour
<b>Supported modes</b>	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
<b>mcrypt.algorithms_dir</b>	<i>no value</i>	<i>no value</i>
<b>mcrypt.modes_dir</b>	<i>no value</i>	<i>no value</i>

## mhash

<b>MHASH support</b>	Enabled
<b>MHASH API Version</b>	Emulated Support

## mysql

MySQL Support	enabled
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0
<b>Client API version</b>	mysqlnd 5.0.8-dev - 20102224 - \$Revision: 310735 \$

Directive	Local Value	Master Value
<b>mysql.allow_local_infile</b>	On	On
<b>mysql.allow_persistent</b>	On	On
<b>mysql.connect_timeout</b>	3	3
<b>mysql.default_host</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_password</b>	<i>no value</i>	<i>no value</i>
<b>mysql.default_port</b>	3306	3306
<b>mysql.default_socket</b>	MySQL	MySQL
<b>mysql.default_user</b>	<i>no value</i>	<i>no value</i>
<b>mysql.max_links</b>	Unlimited	Unlimited
<b>mysql.max_persistent</b>	Unlimited	Unlimited
<b>mysql.trace_mode</b>	Off	Off

## mysqli

Mysqli Support	enabled
<b>Client API library version</b>	mysqlnd 5.0.8-dev - 20102224 - \$Revision: 310735 \$
<b>Active Persistent Links</b>	0
<b>Inactive Persistent Links</b>	0
<b>Active Links</b>	0

Directive	Local Value	Master Value
<b>mysqli.allow_local_infile</b>	On	On
<b>mysqli.allow_persistent</b>	On	On
<b>mysqli.default_host</b>	<i>no value</i>	<i>no value</i>
<b>mysqli.default_port</b>	3306	3306
<b>mysqli.default_pw</b>	<i>no value</i>	<i>no value</i>
<b>mysqli.default_socket</b>	MySQL	MySQL
<b>mysqli.default_user</b>	<i>no value</i>	<i>no value</i>

mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

## mysqlnd

mysqlnd	enabled
Version	mysqlnd 5.0.8-dev - 20102224 - \$Revision: 310735 \$
Compression	supported
SSL	supported
Command buffer size	4096
Read buffer size	32768
Read timeout	31536000
Collecting statistics	Yes
Collecting memory statistics	No
Tracing	n/a

Client statistics	
bytes_sent	0
bytes_received	0
packets_sent	0
packets_received	0
protocol_overhead_in	0
protocol_overhead_out	0
bytes_received_ok_packet	0
bytes_received_eof_packet	0
bytes_received_rset_header_packet	0
bytes_received_rset_field_meta_packet	0
bytes_received_rset_row_packet	0
bytes_received_prepare_response_packet	0
bytes_received_change_user_packet	0
packets_sent_command	0
packets_received_ok	0
packets_received_eof	0
packets_received_rset_header	0
packets_received_rset_field_meta	0
packets_received_rset_row	0
packets_received_prepare_response	0
packets_received_change_user	0
result_set_queries	0
non_result_set_queries	0
no_index_used	0
bad_index_used	0
slow_queries	0
buffered_sets	0
unbuffered_sets	0
ps_buffered_sets	0
ps_unbuffered_sets	0
flushed_normal_sets	0
flushed_ps_sets	0
ps_prepared_never_executed	0
ps_prepared_once_executed	0
rows_fetched_from_server_normal	0
rows_fetched_from_server_ps	0

rows_buffered_from_client_normal	0
rows_buffered_from_client_ps	0
rows_fetched_from_client_normal_buffered	0
rows_fetched_from_client_normal_unbuffered	0
rows_fetched_from_client_ps_buffered	0
rows_fetched_from_client_ps_unbuffered	0
rows_fetched_from_client_ps_cursor	0
rows_affected_normal	0
rows_affected_ps	0
rows_skipped_normal	0
rows_skipped_ps	0
copy_on_write_saved	0
copy_on_write_performed	0
command_buffer_too_small	0
connect_success	0
connect_failure	0
connection_reused	0
reconnect	0
pconnect_success	0
active_connections	0
active_persistent_connections	0
explicit_close	0
implicit_close	0
disconnect_close	0
in_middle_of_command_close	0
explicit_free_result	0
implicit_free_result	0
explicit_stmt_close	0
implicit_stmt_close	0
mem_emalloc_count	0
mem_emalloc_amount	0
mem_ecalloc_count	0
mem_ecalloc_amount	0
mem_erealloc_count	0
mem_erealloc_amount	0
mem_efree_count	0
mem_efree_amount	0
mem_malloc_count	0
mem_malloc_amount	0
mem_calloc_count	0
mem_calloc_amount	0
mem_realloc_count	0
mem_realloc_amount	0
mem_free_count	0
mem_free_amount	0
mem_strndup_count	0
mem_strndup_count	0
mem_estndup_count	0
mem_strdup_count	0
proto_text_fetched_null	0
proto_text_fetched_bit	0
proto_text_fetched_tinyint	0
proto_text_fetched_short	0
proto_text_fetched_int24	0
proto_text_fetched_int	0

proto_text_fetched_bigint	0
proto_text_fetched_decimal	0
proto_text_fetched_float	0
proto_text_fetched_double	0
proto_text_fetched_date	0
proto_text_fetched_year	0
proto_text_fetched_time	0
proto_text_fetched_datetime	0
proto_text_fetched_timestamp	0
proto_text_fetched_string	0
proto_text_fetched_blob	0
proto_text_fetched_enum	0
proto_text_fetched_set	0
proto_text_fetched_geometry	0
proto_text_fetched_other	0
proto_binary_fetched_null	0
proto_binary_fetched_bit	0
proto_binary_fetched_tinyint	0
proto_binary_fetched_short	0
proto_binary_fetched_int24	0
proto_binary_fetched_int	0
proto_binary_fetched_bigint	0
proto_binary_fetched_decimal	0
proto_binary_fetched_float	0
proto_binary_fetched_double	0
proto_binary_fetched_date	0
proto_binary_fetched_year	0
proto_binary_fetched_time	0
proto_binary_fetched_datetime	0
proto_binary_fetched_timestamp	0
proto_binary_fetched_string	0
proto_binary_fetched_blob	0
proto_binary_fetched_enum	0
proto_binary_fetched_set	0
proto_binary_fetched_geometry	0
proto_binary_fetched_other	0
init_command_executed_count	0
init_command_failed_count	0
com_quit	0
com_init_db	0
com_query	0
com_field_list	0
com_create_db	0
com_drop_db	0
com_refresh	0
com_shutdown	0
com_statistics	0
com_process_info	0
com_connect	0
com_process_kill	0
com_debug	0
com_ping	0
com_time	0
com_delayed_insert	0
com_change_user	0

<b>com_binlog_dump</b>	0
<b>com_table_dump</b>	0
<b>com_connect_out</b>	0
<b>com_register_slave</b>	0
<b>com_stmt_prepare</b>	0
<b>com_stmt_execute</b>	0
<b>com_stmt_send_long_data</b>	0
<b>com_stmt_close</b>	0
<b>com_stmt_reset</b>	0
<b>com_stmt_set_option</b>	0
<b>com_stmt_fetch</b>	0
<b>com_deamon</b>	0
<b>bytes_received_real_data_normal</b>	0
<b>bytes_received_real_data_ps</b>	0

## odbc

ODBC Support	enabled
<b>Active Persistent Links</b>	0
<b>Active Links</b>	0
<b>ODBC library</b>	Win32

Directive	Local Value	Master Value
<b>odbc.allow_persistent</b>	On	On
<b>odbc.check_persistent</b>	On	On
<b>odbc.default_cursortype</b>	Static cursor	Static cursor
<b>odbc.default_db</b>	<i>no value</i>	<i>no value</i>
<b>odbc.default_pw</b>	<i>no value</i>	<i>no value</i>
<b>odbc.default_user</b>	<i>no value</i>	<i>no value</i>
<b>odbc.defaultbinmode</b>	return as is	return as is
<b>odbc.defaultlrl</b>	return up to 4096 bytes	return up to 4096 bytes
<b>odbc.max_links</b>	Unlimited	Unlimited
<b>odbc.max_persistent</b>	Unlimited	Unlimited

## pcre

<b>PCRE (Perl Compatible Regular Expressions) Support</b>	enabled
<b>PCRE Library Version</b>	8.12 2011-01-15

Directive	Local Value	Master Value
<b>pcre.backtrack_limit</b>	1000000	1000000
<b>pcre.recursion_limit</b>	100000	100000

## PDO

PDO support	enabled
<b>PDO drivers</b>	mysql, odbc, sqlite, sqlite2

## pdo\_mysql

PDO Driver for MySQL	enabled
<b>Client API version</b>	mysqlnd 5.0.8-dev - 20102224 - \$Revision: 310735 \$

## PDO\_ODBC

PDO Driver for ODBC (Win32)	enabled
<b>ODBC Connection Pooling</b>	Enabled, strict matching

## pdo\_sqlite

PDO Driver for SQLite 3.x	enabled
<b>SQLite Library</b>	3.7.7.1

## Phar

Phar: PHP Archive support	enabled
<b>Phar EXT version</b>	2.0.1
<b>Phar API version</b>	1.1.1
<b>SVN revision</b>	\$Revision: 314419 \$
<b>Phar-based phar archives</b>	enabled
<b>Tar-based phar archives</b>	enabled
<b>ZIP-based phar archives</b>	enabled
<b>gzip compression</b>	enabled
<b>bzip2 compression</b>	enabled
<b>OpenSSL support</b>	disabled (install ext/openssl)

Phar based on pear/PHP\_Archive, original concept by Davey Shafik.  
 Phar fully realized by Gregory Beaver and Marcus Boerger.  
 Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
<b>phar.cache_list</b>	<i>no value</i>	<i>no value</i>
<b>phar.readonly</b>	On	On
<b>phar.require_hash</b>	On	On

## Reflection

Reflection	enabled
<b>Version</b>	\$Revision: 313665 \$

## session

<b>Session Support</b>	enabled
<b>Registered save handlers</b>	files user sqlite
<b>Registered serializer handlers</b>	php php_binary wddx

Directive	Local Value	Master Value
<b>session.auto_start</b>	Off	Off
<b>session.bug_compat_42</b>	On	On
<b>session.bug_compat_warn</b>	On	On
<b>session.cache_expire</b>	180	180
<b>session.cache_limiter</b>	nocache	nocache
<b>session.cookie_domain</b>	<i>no value</i>	<i>no value</i>

session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	<i>no value</i>	<i>no value</i>
session.entropy_length	0	0
session.gc_divisor	100	100
session.gc_maxlifetime	1440	1440
session.gc_probability	1	1
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	D:\xampp\tmp	D:\xampp\tmp
session.serialize_handler	php	php
session.use_cookies	On	On
session.use_only_cookies	Off	Off
session.use_trans_sid	0	0

## SimpleXML

Simplexml support	enabled
Revision	\$Revision: 314376 \$
Schema support	enabled

## soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

## sockets

Sockets Support	enabled
-----------------	---------

## SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator,

RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException
---

## SQLite

SQLite support	enabled
<b>PECL Module version</b>	2.0-dev \$Id: sqlite.c 306939 2011-01-01 02:19:59Z felipe \$
<b>SQLite Library</b>	2.8.17
<b>SQLite Encoding</b>	iso8859

Directive	Local Value	Master Value
<b>sqlite.assoc_case</b>	0	0

## sqlite3

SQLite3 support	enabled
<b>SQLite3 module version</b>	0.7-dev
<b>SQLite Library</b>	3.7.7.1

Directive	Local Value	Master Value
<b>sqlite3.extension_dir</b>	<i>no value</i>	<i>no value</i>

## standard

<b>Dynamic Library Support</b>	enabled
<b>Internal Sendmail Support for Windows</b>	enabled

Directive	Local Value	Master Value
<b>assert.active</b>	1	1
<b>assert.bail</b>	0	0
<b>assert.callback</b>	<i>no value</i>	<i>no value</i>
<b>assert.quiet_eval</b>	0	0
<b>assert.warning</b>	1	1
<b>auto_detect_line_endings</b>	0	0
<b>default_socket_timeout</b>	60	60
<b>from</b>	<i>no value</i>	<i>no value</i>
<b>safe_mode_allowed_env_vars</b>	PHP_	PHP_
<b>safe_mode_protected_env_vars</b>	LD_LIBRARY_PATH	LD_LIBRARY_PATH
<b>url_rewriter.tags</b>	a=href,area=href,frame=src,input=src,form=,fieldset=	a=href,area=href,frame=src,input=src,form=,fieldset=
<b>user_agent</b>	<i>no value</i>	<i>no value</i>

## tokenizer

<b>Tokenizer Support</b>	enabled
--------------------------	---------

## wddx

WDDX Support	enabled
<b>WDDX Session Serializer</b>	enabled



**xml**

<b>XML Support</b>	active
<b>XML Namespace Support</b>	active
<b>libxml2 Version</b>	2.7.7

**xmlreader**

<b>XMLReader</b>	enabled
------------------	---------

**xmlrpc**

<b>core library version</b>	xmlrpc-epi v. 0.51
<b>php extension version</b>	0.51
<b>author</b>	Dan Libby
<b>homepage</b>	<a href="http://xmlrpc-epi.sourceforge.net">http://xmlrpc-epi.sourceforge.net</a>
<b>open sourced by</b>	Epinions.com

**xmlwriter**

<b>XMLWriter</b>	enabled
------------------	---------

**zip**

<b>Zip</b>	enabled
<b>Extension Version</b>	\$Id: php_zip.c 313665 2011-07-25 11:42:53Z felipe \$
<b>Zip version</b>	1.9.1
<b>Libzip version</b>	0.9.0

**zlib**

<b>ZLib Support</b>	enabled
<b>Stream Wrapper support</b>	compress.zlib://
<b>Stream Filter support</b>	zlib.inflate, zlib.deflate
<b>Compiled Version</b>	1.2.5
<b>Linked Version</b>	1.2.5

Directive	Local Value	Master Value
<b>zlib.output_compression</b>	Off	Off
<b>zlib.output_compression_level</b>	-1	-1
<b>zlib.output_handler</b>	<i>no value</i>	<i>no value</i>

**Additional Modules**

Module Name
-------------

**Environment**

Variable	Value
<b>AGSDESKTOPJAVA</b>	C:\Program Files\ArcGIS\Desktop10.0\

<b>ALLUSERSPROFILE</b>	C:\ProgramData
<b>APPDATA</b>	C:\Windows\system32\config\systemprofile\AppData\Roaming
<b>CLASSPATH</b>	.;C:\Program Files\Java\jre6\lib\ext\QTJava.zip
<b>CommonProgramFiles</b>	C:\Program Files\Common Files
<b>COMPUTERNAME</b>	HOME_PC1
<b>ComSpec</b>	C:\Windows\system32\cmd.exe
<b>FP_NO_HOST_CHECK</b>	NO
<b>GDAL_DATA</b>	C:\Program Files\MapWindow\GDAL_DATA
<b>LOCALAPPDATA</b>	C:\Windows\system32\config\systemprofile\AppData\Local
<b>NUMBER_OF_PROCESSORS</b>	2
<b>OS</b>	Windows_NT
<b>Path</b>	C:\Program Files\Software\Editor\KomodoEdit\;C:\Program Files\Common Files\Microsoft Shared\Windows Live\;C:\Program Files\PC Connectivity Solution\;C:\Windows\system32\;C:\Windows\;C:\Windows\System32\Wbem\;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Program Files\Autodesk\Backburner\;C:\Program Files\Common Files\Autodesk Shared\;C:\Program Files\Microsoft SQL Server\100\Tools\Binn\;C:\Program Files\Microsoft SQL Server\100\DTS\Binn\;C:\Program Files\Windows Live\Shared\;C:\Program Files\Software\Tools\IsoBuster\;C:\program files\software\multimedia\Quicktime\QTSystem\;
<b>PATHEXT</b>	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
<b>PROCESSOR_ARCHITECTURE</b>	x86
<b>PROCESSOR_IDENTIFIER</b>	x86 Family 6 Model 23 Stepping 10, GenuineIntel
<b>PROCESSOR_LEVEL</b>	6
<b>PROCESSOR_REVISION</b>	170a
<b>ProgramData</b>	C:\ProgramData
<b>ProgramFiles</b>	C:\Program Files
<b>PROJ_LIB</b>	C:\Program Files\MapWindow\PROJ_NAD
<b>PSModulePath</b>	C:\Windows\system32\WindowsPowerShell\v1.0\Modules\
<b>PUBLIC</b>	C:\Users\Public
<b>QTJAVA</b>	C:\Program Files\Java\jre6\lib\ext\QTJava.zip
<b>SystemDrive</b>	C:
<b>SystemRoot</b>	C:\Windows
<b>TEMP</b>	C:\Windows\TEMP
<b>TMP</b>	C:\Windows\TEMP
<b>USERDOMAIN</b>	WORKGROUP
<b>USERNAME</b>	HOME_PC1\$
<b>USERPROFILE</b>	C:\Windows\system32\config\systemprofile
<b>windir</b>	C:\Windows
<b>AP_PARENT_PID</b>	5912

## PHP Variables

Variable	Value
<b>PHP_SELF</b>	/PHP_Info.php
<b>_COOKIE["PHPSESSID"]</b>	el0c7jrk3veda87dvlmibsb566
<b>_SERVER["MIBDIRS"]</b>	D:/xampp/php/extras/mibs
<b>_SERVER["MYSQL_HOME"]</b>	\xampp\mysql\bin
<b>_SERVER["OPENSSL_CONF"]</b>	D:/xampp/apache/bin/openssl.cnf
<b>_SERVER["PHP_PEAR_SYSCONF_DIR"]</b>	\xampp\php
<b>_SERVER["PHPRC"]</b>	\xampp\php
<b>_SERVER["TMP"]</b>	\xampp\tmp
<b>_SERVER["HTTP_ACCEPT"]</b>	text/html, application/xhtml+xml, */*
<b>_SERVER["HTTP_ACCEPT_LANGUAGE"]</b>	de-DE
<b>_SERVER["HTTP_USER_AGENT"]</b>	Mozilla/5.0 (compatible; MSIE 9.0; Windows NT 6.1; Trident/5.0)

_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_HOST"]	localhost
_SERVER["HTTP_CONNECTION"]	Keep-Alive
_SERVER["HTTP_COOKIE"]	PHPSESSID=el0c7jrk3veda87dvlmibsb566
_SERVER["PATH"]	C:\Program Files\Software\Editor\KomodoEdit\;C:\Program Files\Common Files\Microsoft Shared\Windows Live;C:\Program Files\PC Connectivity Solution\;C:\Windows\system32;C:\Windows;C:\Windows\System32\Wbem;C:\Windows\System32\WindowsPowerShell\v1.0\;C:\Program Files\Autodesk\Backburner\;C:\Program Files\Common Files\Autodesk Shared\;C:\Program Files\Microsoft SQL Server\100\Tools\Binn\;C:\Program Files\Microsoft SQL Server\100\DTS\Binn\;C:\Program Files\Windows Live\Shared;C:\Program Files\Software\Tools\IsoBuster;C:\program files\software\multimedia\Quicktime\QTSystem\;
_SERVER["SystemRoot"]	C:\Windows
_SERVER["COMSPEC"]	C:\Windows\system32\cmd.exe
_SERVER["PATHEXT"]	.COM;.EXE;.BAT;.CMD;.VBS;.VBE;.JS;.JSE;.WSF;.WSH;.MSC
_SERVER["WINDIR"]	C:\Windows
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.21 (Win32) mod_ssl/2.2.21 OpenSSL/1.0.0e PHP/5.3.8 mod_perl/2.0.4 Perl/v5.10.1 Server at localhost Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.21 (Win32) mod_ssl/2.2.21 OpenSSL/1.0.0e PHP/5.3.8 mod_perl/2.0.4 Perl/v5.10.1
_SERVER["SERVER_NAME"]	localhost
_SERVER["SERVER_ADDR"]	::1
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	::1
_SERVER["DOCUMENT_ROOT"]	D:/xampp/htdocs
_SERVER["SERVER_ADMIN"]	postmaster@localhost
_SERVER["SCRIPT_FILENAME"]	D:/xampp/htdocs/PHP_Info.php
_SERVER["REMOTE_PORT"]	53038
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/PHP_Info.php
_SERVER["SCRIPT_NAME"]	/PHP_Info.php
_SERVER["PHP_SELF"]	/PHP_Info.php
_SERVER["REQUEST_TIME"]	1338061921

## PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact [license@php.net](mailto:license@php.net).